WELSH JOINT EDUCATION COMMITTEE

CYD-BWYLLGOR ADDYSG CYMRU

General Certificate of Education

Tystysgrif Addysg Gyffredinol

Advanced Level/Advanced Subsidiary

Safon Uwch/Uwch Gyfrannol

MATHEMATICS C1

Pure Mathematics

Specimen Paper 2005/2006

 $(1\frac{1}{2} \text{ hours})$

INSTRUCTIONS TO CANDIDATES

Answer all questions.

Calculators are not allowed for this paper.

INFORMATION FOR CANDIDATES

A formula booklet is available and may be used.

The number of marks is given in brackets at the end of each question or part-question.

You are reminded of the necessity for good English and orderly presentation in your answers.

- jament * The points A, B, C have coordinates (4, -2), (-12, 10), (10, 6), respectively.
- (a) Find the gradients of the lines

$$AB, BC, CA.$$
 [3]

(b) Show that one of the angles of triangle ABC is a right-angle

[2]

- 0 Show that the equation of the line AB is 3x + 4y - 4 = 0. [2]
- (d) The mid-point of BC is D. Find the length of AD.

[4]

12 Simplify

$$\frac{2\sqrt{5}+\sqrt{2}}{\sqrt{5}-\sqrt{2}}$$

expressing your answer in the form $a + \sqrt{b}$, where a and b are integers

[4]

¿u Use an algebraic method to solve the simultaneous equations

$$y = x^2 - 3x + 2,$$

 $y = 3x - 7.$

Interpret your answer geometrically.

[6]

4

Given that the equation

$$2kx^2 + 4x + k - 1 = 0$$

has two distinct real roots, show that

$$k^2 - k - 2 < 0$$
.

Find the range of values of k satisfying this inequality.

ange of values of
$$k$$
 satisfying this inequality. [6]

- S (a) be determined. Express $2x^2 - 12x + 25$ in the form $a(x - b)^2 + c$, where a, b, c are constants to
- 6) Find the least value of $2x^2 - 12x + 25$ and the corresponding value of x. [2]
- 0 Sketch the curve $y = 2x^2 - 12x + 25$ [2]

6. (a) Given that x + 2 is a factor of

$$kx^3 + 8x^2 + 3x - 2,$$

show that k = 3.

$$3x^3 + 8x^2 + 3x - 2 = 0.$$
 [4]

[3]

(b) Solve the equation

Find the remainder when
$$3x^3 + 8x^2 + 3x - 2$$
 is divided by $x - 3$.

[2]

0

- .7 (a) expansion. Using the binomial theorem, expand $(2x + 3)^4$, simplifying each term of the [4]
- *(b)* In the binomial expansion of $(1 + 3x)^n$ the coefficient of x^2 is 54

Given that n > 0, find the value of n.

4

(a) Given that
$$y = x^2 - 4x + 2$$
, find $\frac{dy}{dx}$ from first principles. [5]

00

(b) Differentiate
$$\frac{3}{x^4} + 4\sqrt{x}$$
 with respect to x. [4]

9. The curve C has equation

$$y = x^4 + x + 1$$
.

Find the equation of the tangent to C at the point (1, 3).

 $\operatorname{nt}(1,3)$.

4

10. The curve C has equation

$$y = x^3 - 3x^2 - 9x + 3.$$

(a) Find the coordinates and nature of the stationary points of C.

 $[\infty]$

(b)

Sketch C

[3]